

CAP 9C0264

NAME OF PETITIONER

INTERNATIONAL ASSOCIATION OF COLOR
MANUFACTURERS

POST OFFICE ADDRESS

1620 I Street, N.W
Suite 925
Washington, DC 20006
(202)-293-5800

DATE:

30 September 1998

NAME OF COLOR ADDITIVE
AND PROPOSED USE:

FD&C Red No. 28
FD&C Red No. 28 Aluminum Lake

For general use in food

000001

45 101

TABLE OF CONTENTS

I. Color Additive Petition

Tab A	Name and All Pertinent Information Concerning the Color Additive
Tab B	The Amount of the Color Additive Proposed for Use and the Intended Color Effect
Tab C	Practicable Method for the Determination of the Pure Color and Other Components of the Color Additive
Tab D	Reports of Investigations Made with Respect to the Safety of FD&C Red No. 28
Tab E	Data Indicating the Probable Consumption and/or Other Relevant Exposure to FD&C Red No. 28
Tab F	Tolerances for use of FD&C Red No. 28
Tab G	Exemption from Batch Certification
Tab H	Proposed Regulation
Tab I	Prescribed Fee
Tab J	Environmental Assessment
Tab Attachment A	Authorization of use of Data
Tab Attachment B	Proposed Labels
Tab Appendix 1	Federal Register Notice Announcing the Permanent Listing of D&C Red No. 27 and D&C Red No. 28
Tab Appendix 2	References not found in Color Additive Master File

SECTION A
NAME AND ALL PERTINENT INFORMATION CONCERNING
THE COLOR ADDITIVE

000002

SECTION A

1. FD&C Red No. 28

a. The color additive FD&C Red No. 28 is principally the disodium salt of 2',4',5',7' tetrabromo-4,5,6,7-tetrachlorofluorescein (CAS Reg. No. 18472-87-2).

b. Synonyms

FD&C Red No. 28 Phloxine B
 C.I. No. 45410 (Na Salt)
 C.I. Acid Red 92

c. Physical Properties. FD&C Red No. 28 is a blue-pink dye of the Xanthene class.

It is soluble in water, alcohols and glycerin

d. Chemical Properties.

1. Empirical Formula.

FD&C Red No. 28 - $C_{20}H_2O_3Br_4Cl_4Na_2$


2. Molecular Weight.

FD&C Red No. 28 - 839.64 g/mol

Throughout this petition we refer to D&C No. 28 as FD&C Red No. 28 on the assumption that this will be the name of the compound once approved for use in foods.

2. Structural Formula

FD&C Red No. 28



000003

- a. Proposed Specifications. The color additive FD&C Red No. 28 shall conform to the following specifications and shall be free from impurities other than those named to the extent that such other impurities may be avoided by current good manufacturing practice. These specifications are identical to those found at 21 C.F.R § 74.1328, except for the addition of the specification for Hexachlorobenzene and the proposed reduction in the specification of Lead from 20 parts per million to 5 parts per million:

FD&C Red No. 28.

Sum of volatile matter (at 135° C), halides and sulfates (calculated as sodium salts), not more than 15 percent.

Insoluble matter (alkaline solution), not more than 0.5 percent.

Tetrachlorophthalic acid, not more than 1.2 percent.

Brominated resorcinol, not more than 0.4 percent.

2,3,4,5-Tetrachloro-6-(3,5-dibromo-2,4-dihydroxybenzoyl) benzoic acid, not more than 0.7 percent

2,4,5,7-Tetrabromo-4,5,6,7-tetrachlorofluorescein, ethyl ester, not more than 2 percent

Lower halogenated subsidiary colors, not more than 4 percent.

Hexachlorobenzene (as HCB), not more than 20 parts per million.

Lead (as Pb), not more than 5 parts per million.

Arsenic (as As), not more than 3 parts per million.

Mercury (as Hg), not more than 1 part per million.

Total color, not less than 85 percent

- b. Chemical and Physical Methods of Analysis. Methods of analysis developed by the Division of Color Technology for the certification of D&C Red No. 28 are adequate for analysis of FD&C Red No. 28.

000004